

SECTION 32 31 10
FENCES & GATES - GENERAL
Last Updated: March 7, 2018

Part 1 GENERAL

1.1 SECTION INCLUDES

- A. General requirements regarding fencing and gates on DISTRICT lands or interest in lands.
- B. Types of fences and gates allowed on DISTRICT lands or interest in lands are listed below. Fences and gates are considered on a case-by-case basis and in compliance with DISTRICT regulations. For specifications on each fence and gate type reference the individual sections. APWA specifications shall be used where applicable.

1.2 PURPOSES

- A. The purpose of fences on DISTRICT lands or interest in lands may be any combination of the following:
 - 1. Restrict access and unauthorized use.
 - 2. Delineate property.
 - 3. Protect DISTRICT and/or Licensee facilities.

Part 2 PRODUCTS

2.1 FENCE & GATE TYPES

- A. Chain Link: refer to Section 32 31 13 CHAIN LINK FENCES & GATES.
- B. Wood: refer to Section 32 31 15 WOOD FENCES & GATES.
- C. Wire: refer to Section 32 31 16 WELDED WIRE FENCES & GATES.
- D. Composite: refer to Section 32 31 17 COMPOSITE FENCES & GATES.
- E. Split Rail: refer to Section 32 31 18 SPLIT RAIL FENCES & GATES.
- F. Vinyl: refer to Section 32 31 19 VINYL FENCES & GATES

Part 3 EXECUTION

3.1 DISTRICT POLICIES AND PROCEDURES

- A. No fences or similar barriers will be allowed within Aqueduct Corridors except as consistent with DISTRICT regulations.
- B. Replacement or repair of fences or similar barriers shall be consistent with DISTRICT regulations.
- C. DISTRICT regulations concerning fences are found in DISTRICT Policies & Procedures, Chapter 16-7, Section 3.

3.2 LOCAL CODE

- A. Fences and gates shall be constructed in accordance with the stricter of local city and county standards and codes and DISTRICT regulations.

3.3 ACCESS

- A. Fences enclosing Aqueduct Corridors shall have gates to enable District staff to enter the enclosed area to perform inspections and exit to the opposite side of the enclosed area.
- B. Gated openings shall be large enough to permit reasonable and efficient access by District maintenance vehicles.
- C. Gates shall be installed, located and maintained as requested by DISTRICT and at no additional cost to DISTRICT.
- D. Gates shall be configured to allow DISTRICT to install DISTRICT locks on access gates. Locks shall be operable from either side of gate.
- E. Unless otherwise required by city and/or county ordinances, fences and gates shall be six feet in height or lower.